

SAFETY DATA SHEET

Section 1. Identification

Manufacturer

Taconic
 136 Coonbrook Road
 Petersburg, NY 12138
 Tel: 1(800)833-1805
 Fax: 1(800)272-2503
 Email: info@4taconic.com
 Web: www.4taconic.com

Emergency Phone Number: 1(800)833-1805

Product Name: **TLF**

Specific Use: Laminates for circuit boards.

Section 2. Hazards Identification

Classification: This product as-sold is NOT classified as a hazardous chemical as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Label Elements: This product as-sold is NOT classified as a hazardous chemical as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Precautionary Statement: This product as-sold is NOT classified as a hazardous chemical as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Hazards Not Otherwise Classified: Before use refer to the "Guide to the Safe Handling of Fluoropolymer Resins", published by the Society of the Plastics Industry.

Section 3. Composition/Information on Ingredients

Substance/Mixture:

Ingredient Name	CAS Number	Weight %
Polytetrafluoroethylene (PTFE)	9002-84-0	10% - 70%
Fiberglass fiber	65997-17-3	5% - 28%
Copper	7440-50-8	1% - 50%
Silica, amorphous	7631-86-9	2% - 35%
Titanium dioxide	13463-67-7	1% - 25%

Section 4. First Aid Measures

Description of Necessary First Aid Measures

Inhalation:	No special treatment needed.
Skin Contact:	No special treatment needed.
Eye Contact:	No special treatment needed.
Ingestion:	If product has been swallowed, get medical attention immediately.

Most Important Symptoms/Effects, Acute and Delayed

Potential Acute Health Effects

Inhalation:	No known significant effects.
Skin Contact:	No known significant effects.
Eye Contact:	No known significant effects.
Ingestion:	No known significant effects.

Over-Exposure Signs/Symptoms

Inhalation:	No known significant effects.
Skin Contact:	No known significant effects.
Eye Contact:	No known significant effects.
Ingestion:	No known significant effects.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician:	No special treatment needed.
Specific Treatments:	No special treatment needed.

Section 5. Fire-Fighting Measures

Suitable Extinguishing

Media: Water Spray, Carbon Dioxide (CO₂), Dry Chemical, Foam

Hazardous Thermal Decomposition

Products: Hydrogen Fluoride, Carbonyl Fluoride, Carbon Monoxide, Copper Oxides

Special Protective Equipment and Precautions for Fire-Fighters:

Wear self-contained breathing apparatus and protective suit. Wear neoprene gloves during cleaning up work after a fire. Protect from hydrogen fluoride fumes which react with water to form hydrofluoric acid.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment

and Emergency Procedures: Refer to Sections 4, 5 and 8.

Product Name: TLF

Methods and Materials for Containment and Cleaning Up:

Material for disposal should be placed in appropriate containers. Dispose of dry solids in a landfill that is permitted, licensed or registered, to manage industrial solid waste. Incinerate only if incinerator is capable of scrubbing out hydrogen fluoride and other acidic combustion products.

Section 7. Handling and Storage

Precautions for Safe Handling:

No special handling precautions needed.

Conditions for Safe Storage, Including Any Incompatibilities:

No special restrictions on storage with other products.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	CAS Number	OSHA PEL Exposure Limits	ACGIH TLV Exposure Limits
Polytetrafluoroethylene (PTFE)	9002-84-0	None.	None.
Fiberglass fiber	65997-17-3	8 HR TWA Total Dust = 15 mg/m3 8 HR TWA Respirable Fraction = 5 mg/m3	8 HR TWA Respirable Fraction = 1 fiber/cm3
Copper dust	7440-50-8	8 HR TWA Dust = 1 mg/m3	8 HR TWA Dust = 1 mg/m3
Silica, amorphous dust	7631-86-9	8 HR TWA Dust = 80 mg/m3	8 HR TWA Dust = 6 mg/m3
Titanium dioxide dust	13463-67-7	8 HR TWA Total Dust = 15 mg/m3 8 HR TWA Respirable Fraction = 5 mg/m3	8 HR TWA Total Dust = 10 mg/m3

Appropriate Engineering Controls:

No special controls needed.

Individual Protection Measures

- Respiratory Protection:**
- Eye/Face Protection:**
- Hand Protection:**
- Foot Protection:**

No special protective measures needed.
Wear ANSI approved safety glasses when handling product.
Wear cut resistant gloves when handling product.
Wear ANSI/ASTM approved safety-toe shoes when handling product.

Section 9. Physical and Chemical Properties

Physical State:

Solid.

Product Name: TLF

Color:	Copper/Brown.
Odor:	Odorless.
Odor Threshold:	Not applicable.
pH:	Not applicable.
Melting Point:	320°C - 340°C
Boiling Point:	Not applicable.
Flash Point:	Does not flash.
Evaporation Rate:	Not applicable.
Flammability:	Not flammable.
Explosive Limits:	Not applicable.
Vapor Pressure:	Not applicable.
Vapor Density:	Not applicable.
Specific Gravity:	2.30
Solubility:	Insoluble.
Auto-Ignition Temperature:	520°C
Decomposition Temperature:	470°C
Viscosity:	Not applicable.

Section 10. Stability and Reactivity

Reactivity:	Not reactive under recommended storage conditions.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur under recommended storage conditions.
Conditions to Avoid:	Do not overheat. High temperatures can produce irritating or toxic fumes. Refer to the "Guide to the Safe Handling of Fluoropolymer Resins", published by the Society of the Plastics Industry.
Incompatible Materials:	Acetylene, acids, finely divided aluminum, powdered metals, and very strong oxidizers, such as fluorine.
Hazardous Decomposition Products:	Fluorinated hydrocarbons, carbonyl fluoride, hydrogen fluoride.

Section 11. Toxicological Information

Information on Likely Routes of Exposure:	Inhalation: No known significant effects. Skin Contact: No known significant effects. Eye Contact: No known significant effects. Ingestion: No known significant effects.
Acute Toxicity:	Polytetrafluoroethylene (PTFE): Oral LD50 = >11,280 mg/kg (rat) Fiberglass fiber: Oral LD50 >20 mg/kg (mouse) Copper: Oral LD50 >5,000 mg/kg (mouse) Silica, amorphous dust: Intratracheal LD50 = 96.77 mg/kg (mouse) Titanium dioxide dust: Intratracheal LD50 >100 ug/kg (rat)

- Skin Corrosion/Irritation:** Titanium dioxide dust: Skin; 300 ug/3 day-intermittent (human)
- Serious Eye Damage/Irritation:** No known significant effects.
- Respiratory or Skin Sensitization:** Fiberglass fiber: Inhalation; 16 mg/m³, 6 hour/13 week-intermittent (rat)
- Germ Cell Mutagenicity:** Titanium dioxide dust: Lung; 100 ug/plate (human)
- Carcinogenicity:**

Ingredient Name	CAS Number	OSHA	IARC	NTP
Polytetrafluoroethylene (PTFE)	9002-84-0	No	3	None
Silica, amorphous	7631-86-9	No	3	None
Titanium dioxide	13463-67-7	No	2B	None

- Reproductive Toxicity:** Copper: Oral; 152 mg/kg (rat)
- Specific Target Organ Toxicity Single Exposure:** No known significant effects.
- Specific Target Organ Toxicity Repeated Exposure:** Fiberglass fiber: Inhalation; 5 mg/m³, 7 hour/90 week-intermittent (rat), Leukemia.
Copper: Oral; 10 mg/kg, 12 week-intermittent (mouse), Changes in lung.
Silica, amorphous dust: Inhalation; 5.41 mg/m³, 5 day-intermittent (rat), Changes in lung.
Titanium dioxide dust: Inhalation; 250 mg/m³, 6 hour/2 year-intermittent (rat), Lung tumors.
- Aspiration Hazard:** No known significant effects.

Section 12. Ecological Information

- Aquatic Toxicity:** Copper: LC50 < 20 ug/L (water flea)
- Terrestrial Toxicity:** Copper: LC50 > 1,601 mg/kg (earthworm)
- Persistence and Degradability:** No known significant effects.
- Bioaccumulative Potential:** No known significant effects.
- Mobility in Soil:** No known significant effects.
- Other Adverse Effects:** None of the components listed are Ozone Depleting Substances.

Section 13. Disposal Considerations

- Disposal Methods:** Disposal should be made in accordance with federal, state and local regulations. Dispose of dry solids in a landfill that is permitted, licensed or registered to manage industrial solid waste. Incinerate only if incinerator is capable of scrubbing out hydrogen fluoride and other acidic combustion products.
- RCRA Classification:** Not regulated.

Section 14. Transport Information

- DOT Hazardous Materials:** None of the components are listed.
- DOT Marine Pollutants:** Listed; Copper dust, 7440-50-8.
- Transport Information:** Not classified as dangerous goods according to the national and international regulations on the transport of dangerous goods.
- Special Transport Precautions for User:** No special restrictions when transporting product.

Section 15. Regulatory Information

United States Federal Regulations

- Clean Air Act 112b HAPs:** None of the components are listed.
- Clean Air Act 112r EHS:** None of the components are listed.
- Clean Air Act 602 Class I Ozone Depleting Substances:** None of the components are listed.
- Clean Air Act 602 Class II Ozone Depleting Substances:** None of the components are listed.
- Clean Air Act SOCM Chemicals:** None of the components are listed.
- Clean Water Act 311:** Listed; Copper, 7440-50-8.
- DHS Chemicals of Interest:** None of the components are listed.
- OSHA PSM Highly Hazardous Chemicals:** None of the components are listed.
- SARA 302 EHS TPQ:** None of the components are listed.
- SARA 304 EHS RQ:** Listed; Copper, 7440-50-8.
- SARA 311/312:** None of the components are listed.
- SARA 313 TRI:** Listed; Copper, 7440-50-8.
- TSCA Chemical Substance Inventory:** Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.
- TSCA HPV Chemical:** None of the components are listed.
- TSCA PMNACC Addendum:** None of the components are listed.
- TSCA 12(b) Chemicals Listings:** None of the components are listed.

States Regulations

- California Hazardous Substances:** Listed; Copper, 7440-50-8; Silica, amorphous, 7631-86-9.
- California Proposition 65:** None of the components are listed.

Delaware List of Chemicals: Listed; Copper, 7440-50-8.

Idaho Toxic Air Pollutants: Listed; Copper, 7440-50-8.

Illinois Toxic Air Contaminates: Listed; Copper, 7440-50-8.

Maine HAPs: Listed; Titanium dioxide, 13463-67-7.

Massachusetts Hazardous Substances: Listed; Copper, 7440-50-8, Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Michigan Critical Materials: Listed; Copper, 7440-50-8.

Minnesota Hazardous Substances: Listed; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

New Jersey RTK: Listed; Copper, 7440-50-8.

New Jersey TCPA EHS: None of the components are listed.

New York Hazardous Substances: Listed; Copper, 7440-50-8.

North Carolina Toxic Air Pollutants: None of the components are listed.

Pennsylvania Hazardous Substances: Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Washington PELs: Listed; Copper, 7440-50-8; Titanium dioxide, 13463-67-7.

West Virginia Toxic Air Pollutants: None of the components are listed.

Wisconsin Hazardous Air Contaminates: Listed; Copper, 7440-50-8.

International Regulations

Australia Inventory of Chemical Substances (AICS): Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Canada CEPA Toxic Substances: None of the components are listed.

Canada DSL Inventory: Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Canada NDSL Inventory: None of the components are listed.

Canada Priority Substances Lists: None of the components are listed.

China Inventory of Existing Chemical Substances (IECSC): Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

EU Substances of Very High Concern: Does not contain REACH SVHCs greater than 0.1%.

EU REACH Classification: Article.

EU RoHS Substances: None of the components are listed.

EU WEEE Directive: Compliant.

Europe EINECS: Listed; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Japan Inventory of Existing & New Chemical Substances (ENCS): Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Korea Existing Chemicals Inventory (KECI): Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Malaysia EHS Register: Listed; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

New Zealand Inventory of Chemicals (NZIoC): Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Taiwan Inventory (CSNN): Listed; Polytetrafluoroethylene (PTFE), 9002-84-0; Fiberglass fiber, 65997-17-3; Copper, 7440-50-8; Silica, amorphous, 7631-86-9; Titanium dioxide, 13463-67-7.

Section 16. Other Information

NON-WARRANTY: The information provided in this Safety Data Sheet is based upon the research and experience of Taconic. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, and disposal and is not to be considered a warranty or quality specification. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified. No representation or warranty is made concerning the accuracy or completeness of the information presented in this publication.